Gregory, Bernarr

From:

PLUS

Sent:

Wednesday, July 07, 2004 1:26 PM

To:


Gregory, Bernarr

Subject:

PLUS Results for 10771944

Here are the PLUS search results for 10771944.

This search was prepared by the staff of the Scientific and Technical Information Center, SIRA. If you have questions or comments about this search, please reply via email to PLUS@uspto.gov.



Best Available Copy

10771944_QUAL

4602217	81
6021011	81
6185201	81
4294035	81
4394626	81
4415919	81
4472820	81
4841545	81
4862104	81
4882638	81
4953182	81
5021752	81
5258841	81
5329250	81
5334954	81
5365259	81
5394173	81
5434890	81
5589791	81
5592659	81
5602601	81
5619170	81
5629651	81
5648964	81
5686865	81
5706350	81
5901054	81
5903482	81
5929714	81
5946362	81
5991609	
	81
5995571	81
6058139	81
6066988	81
6116087	81
6121847	81
6133802	81
6137756	81
6140869	81
6181758	81
6195784	81
6291979	81
6339623	81
6400129	81
6442383	81
5453748	81
4486717	81
4574379	81
40/40/9	OT

Page 1

10771944_QUAL

5467082 81 5557280 81 PLUS Search Results for S/N 10771944, Searched July 07, 2004

The Patent Linguistics Utility System (PLUS) is a USPTO automated sear ch

system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that a re

most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

10771944_LIST

6121847
6133802
6137756
6140869
6181758
6195784
6291979
6339623
6400129
6442383
5453748
4486717
4574379
5467082
5557280

10771944 WEST

(4602217 6021011 6185201 4294035 4394626 4415919 4472820 4841545 48621 04 4882638 4953182 5021752 5258841 5329250 5334954 5365259 5394173 543 4890 5589791 5592659 5602601 5619170 5629651 5648964 5686865 5706350 5 901054 5903482 5929714 5946362 5991609 5995571 6058139 6066988 6116087 6121847 6133802 6137756 6140869 6181758 6195784 6291979 6339623 64001 29 6442383 5453748 4486717 4574379 5467082 5557280).pn.

10771944_EAST

(4602217
6021011
6185201
4294035
4394626
4415919
4472820
4841545 4862104
4882638
4953182
5021752
5258841
5329250
5334954
5365259
5394173 5434890
5589791
5592659
5602601
5619170
5629651
5648964
5686865 5706350
5901054
5903482
5929714
5946362
5991609
5995571
6058139 6066988
6116087
6121847
6133802
6137756
6140869
6181758 6195784
6195784
6339623
6400129
6442383
5453748
4486717
4574379

10771944_EAST

5467082 5557280).pn.

10771944 CLS

Most Frequently Occurring Classifications of Patents Returned From A Search of 10771944 on July 07, 2004

Original Classifications

- 2 324/76.82
- 2 331/1A
- 2 375/149

Cross-Reference Classifications

- 6 331/17
- 5 331/25
- 4 331/1A
- 3 327/156
- 3 327/158
- 3 327/159
- 3 331/57
- 3 375/371
- 3 375/376
- 2 331/14
- 2 375/150
- 2 375/326
- 2 375/373
- 2 702/72

Combined Classifications

- 6 331/17
- 6 331/1A
- 5 331/25
- 4 331/57
- 4 375/376
- 3 327/156
- 3 327/158
- 3 327/159
- 3 331/14
- 3 375/149
- 3 375/371
- 2 324/76.82
- 2 331/177V
- 2 342/51
- 2 360/51
- 2 375/150
- 2 375/326
- 2 375/327
- 2 375/357
- 2 375/367
- 2 375/373
- 2 702/72

10771944 CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returne

From A Search of 10771944 on July 07, 2004

331/17 (0 OR, 6 XR) Class 331 : OSCILLATORS 331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHAS Ε OR FREQUENCY SENSING MEANS 331/17 .Particular error voltage control (e.g., intergrating network) 331/1A (2 OR, 4 XR) Class 331 : OSCILLATORS 331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHAS Ε OR FREQUENCY SENSING MEANS 331/1A .AFC with logic elements 331/25 (0 OR, 5 XR) Class 331 : OSCILLATORS 331/1R AUTOMATIC FREQUENCY STABILIZATION USING A PHAS Ε OR FREQUENCY SENSING MEANS 331/18 .With reference oscillator or source 331/25 .. Signal or phase comparator 4 331/57 (1 OR, 3 XR) Class 331 : OSCILLATORS 331/57 RING OSCILLATORS 375/376 (1 OR, 3 XR) 375 : PULSE OR DIGITAL COMMUNICATIONS Class 375/354 SYNCHRÓNIZERS 375/371 .Phase displacement, slip or jitter correction 375/373 .. Phase locking 375/376 ... Phase locked loop 3 327/156 (0 OR, 3 XR) Class 327 : MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR DEVICES, CIRCUITS, AND SYSTEMS SIGNAL CONVERTING, SHAPING, OR GENERATING 327/100 327/141 .Synchronizing

..With feedback

... Phase lock loop

327/155

327/156

```
10771944 CLSTITLES
3 327/158
                 (0 OR, 3 XR)
        Class
                327 : MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
                        DEVICES, CIRCUITS, AND SYSTEMS
        327/100
                      SIGNAL CONVERTING, SHAPING, OR GENERATING
        327/141
                      .Synchronizing
        327/155
                      ..With feedback
        327/156
                      ...Phase lock loop
        327/158
                      ....With variable delay means
   327/159
                (0 OR, 3 XR)
        Class
                327 : MISCELLANEOUS ACTIVE ELECTRICAL NONLINEAR
                        DEVICES, CIRCUITS, AND SYSTEMS
        327/100
                      SIGNAL CONVERTING, SHAPING, OR GENERATING
        327/141
                      .Synchronizing
        327/155
                     ..With feedback
        327/156
                      ...Phase lock loop
        327/159
                      ....With digital element
   331/14
                 (1 OR, 2 XR)
        Class
                331 : OSCILLATORS
        331/1R
                      AUTOMATIC FREQUENCY STABILIZATION USING A PHAS
                          OR FREQUENCY SENSING MEANS
        331/14
                      .With intermittent comparison controls
  375/149
                (2 OR, 1 XR)
                375 : PULSE OR DIGITAL COMMUNICATIONS
        375/130
                      SPREAD SPECTRUM
        375/140
                     .Direct sequence
        375/147
                      ..Receiver
        375/149
                      ... Having specific code synchronization
  375/371
                 (0 OR, 3 XR)
                375 : PULSE OR DIGITAL COMMUNICATIONS
        Class
        375/354
                      SYNCHRONIZERS
        375/371
                      .Phase displacement, slip or jitter correction
2
  324/76.82
                 (2 OR, 0 XR)
                324 : ELECTRICITY: MEASURING AND TESTING
        Class
        324/76.11
                     MEASURING, TESTING, OR SENSING ELECTRICITY, PE
                           SE
        324/76.77
                      .Phase comparison (e.g., between cyclic pulse
                          voltage and sinusoidal current, etc.)
        324/76.82
                      ..Digital output
```

Ε

R

2 331/177V (1 OR, 1 XR)

Page 2

10771944 CLSTITLES

Class 331 : OSCILLATORS 331/177R WITH FREQUENCY ADJUSTING MEANS 331/177V .With voltage sensitive capacitor 342/51 (1 OR, 1 XR) 342 : COMMUNICATIONS: DIRECTIVE RADIO WAVE SYSTEMS Class AND DEVICES 342/42 RADAR TRANSPONDER SYSTEM 342/51 .Transponder only 360/51 2 (1 OR, 1 XR) Class 360 : DYNAMIC MAGNETIC INFORMATION STORAGE OR RETRIEVAL 360/39 GENERAL PROCESSING OF A DIGITAL SIGNAL 360/51 .Data clocking 375/150 (0 OR, 2 XR) 375 : PULSE OR DIGITAL COMMUNICATIONS Class 375/130 SPREAD SPECTRUM 375/140 .Direct sequence 375/147 ..Receiver 375/150 ...Correlation-type receiver 2 375/326 (0 OR, 2 XR) 375 : PULSE OR DIGITAL COMMUNICATIONS Class 375/316 RECEIVERS .Angle modulation 375/322 375/324 ..Particular demodulator 375/326 ... Carrier recovery circuit or carrier trackin 375/327 (1 OR, 1 XR) Class 375 : PULSE OR DIGITAL COMMUNICATIONS 375/316 RECEIVERS 375/322 .Angle modulation 375/324 ..Particular demodulator 375/327 ...Phase locked loop 2 375/357 (1 OR, 1 XR) Class 375 : PULSE OR DIGITAL COMMUNICATIONS 375/354 SYNCHRONIZERS 375/357 .Synchronization failure prevention 2 375/367 (1 OR, 1 XR) 375 : PULSE OR DIGITAL COMMUNICATIONS Class 375/354 SYNCHRONIZERS 375/362 .Frequency or phase control using synchronizin

g

Page 3

a		10771944_CLSTITLES
g	375/365 375/367	signalSynchronization wordPseudo noise
2	375/354 375/371	FULSE OR DIGITAL COMMUNICATIONS SYNCHRONIZERS .Phase displacement, slip or jitter correction
	375/373	Phase locking
2 m	702/72 (0 Class 702 702/1 702/57	OOR, 2 XR) 2: DATA PROCESSING: MEASURING, CALIBRATING, OR TESTING MEASUREMENT SYSTEM IN A SPECIFIC ENVIRONMENT .Electrical signal parameter measurement syste
	702/66 702/71 702/72	Waveform analysisWaveform-to-waveform comparisonPhase comparison
2	713/503 (3 Class 713	OR, 1 XR) B : ELECTRICAL COMPUTERS AND DIGITAL PROCESSING

SYSTEMS:

ANALYSIS

713/500

713/503

SUPPORT

.Correction for skew, phase, or rate

CLOCK, PULSE, OR TIMING SIGNAL GENERATION OR

```
aa 3
ability 1
able 4
about 15
above 5
abstract 1
accepted 1
accompanying 1
accomplished 1
accord 9
according 17
account 1
achieve 2
achieving 1
activated 3
activating 1
actually 1
adaptable 1
addition 2
additional 6
adds 1
adequate 1
advance 1
advantages 1
after 2
alkaline 1
all 6
allow 5
allowing 1
alone 2
along 1
also 12
although 1
altogether 1
amount 11
amplification 2
amplified 4
amplifier 3
amplifiers 3
an 88
and 74
another 12
antenna 35
antennas 2
any 5
apparent 1
application 47
applications 2
```

applied 1 approach 1 approximately 4 are 14 around 1 art 3 articles 1 as 39 aspect 10 assuming 2 at 29 audio 3 availability 5 available 8 average 2 back 2 background 1 bandwidth 3 base 1 batteries 5 battery 15 be 63 because 3 becom 1 become 4 becomes 2 becoming 2 been 4 behave 1 being 7 below 1 beneficial 1 benefit 3 benefits 1 best 1 better 1 between 2 bi 1 biased 1 both 4 box 1 brief 1 brooklyn 1 build 1 built 1 burst 3 but 6 by 37

10771944 WDS

calculation 2 calculations 1 can 14 capability 1 capacitors 1 capacity 1 captured 10 capturing 2 carrying 1 cascading 1 case 2 cases 1 cbmprise 1 center 1 centered 4 certain 4 changes 1 characteristic 1 characteristics 1 charged 1 circuit 9 circuitry 5 circuits 4 claims 1 closed 2 colpitts 1 com 1 combination 1 combined 1 comparable 1 compared 1 complexity 1 comprise 3 comprises 7 comprising 10 compromise 1 condition 4 conditioned 12 conditioning 3 conditions 1 configured 4 conflicting 2 connected 2 conserve 1 considered 3 considering 1 considers 1 constantly 4

consume 7 consumes 4 consuming 4 consumption 21 contain 2 contents 1 continuously 3 control 6 controlled 1 controlling 4 controls 1 conveder 1 conventional 8 conversion 1 converter 4 correspondingly 1 cost 2 could 8 coupled 10 coupling 9 course 1 cover 1 cross 1 crystal 8 cumulative 1 current 8 cycle 5 day 5 days 8 db 1 dbm 1 decibel 1 decibels 5 degree 1 described 2 description 2 design 1 desirable 6 desired 7 detailed 1 detect 1 detection 1 detector 3 develop 1 device 42 devices 4 different 7 direction 1

```
directional 1
directions 1
directly 3
disclosure 2
dissipated 1
dissipation 1
distance 1
do 1
does 1
dominant 1
down 1
drawings 2
due 1
duplexer 6
duration 4
during 5
duty 4
each 6
effect 1
effectively 1
efficiency 6
either 2
electric 1
electrical 4
embodiment 1
emitter 1
employed 1
enabling 2
energy 6
enough 3
epiciency 2
equal 2
er 1
etc 1
even 1
every 6
example 29
except 3
excess 2
exemplary 8
exists 1
expense 1
express 1
extending 1
external 1
externally 3
factor 1
fast 1
```

```
feature 2
features 1
february 1
feedback 6
few 2
field 2
fig 116
filed 1
filter 7
filtering 2
final 1
first 24
flammable 1
following 1
for 127
four 2
frequencies 1
frequency 43
from 26
fu 2
fudher 2
full 1
function 2
functions 1
further 15
gain 12
gas 1
general 1
generalized 1
generally 1
get 1
gets 1
given 3
goal 2
goals 1
good 1
greater 2
half 1
hand 2
has 9
have 9
having 1
having 6
her 2
hereof 2
heterodyne 1
heterodyned 6
heterodyning 7
```

high 3 higher 4 highly 3 hour 1 hours 5 how 1 however 3 http 1 hybrid 1 iarge 2 iast 3 iasted 1 identify 1 ieast 5 iength 2 iess 3 ievel 3 ievels 1 if 6 ignoring 1 iife 4 iight 1 iimit 1 iimited 12 iist 1 iittle 2 illustrated 1 impedance 1 importance 1 important 4 impractical 1 improved 1 in 104 include 4 included 1 includes 4 including 3 incoming 9 increase 9 increased 3 increases 1 increasing 1 indicative 1 information 6 inherent 1 inherently 1 injected 3 input 24

10771944 WDS

inputs 1 instance 6 instead 3 intelligent 1 intelligently 1 interest 1 intermediate 11 internal 1 interrogate 1 interrogation 4 interrogator 14 interrupting 1 into 1 invention 32 inventor 1 ioad 2 iocal 6 iocally 2 iock 2 iong 2 ionger 3 ioop 1 iost 1 iow 5 iower 2 is 62 isolation 1 it 19 its 5 january 1 junction 1 just 2 kind 2 known 3 large 1 last 1 least 1 leaving 1 less 1 lf. 2 lhe 1 life 3 limited 5 load 1 location 1 lockable 1 longer 1 looking 1

```
loss 1
low 2
lt 2
ma 3
made 3
magnetic 1
mah 2
mail 1
make 3
making 2
managed 1
management 2
manner 1
many 3
mar 1
may 29
meaning 1
means 8
mearis 1
mechanical 1
meet 1
mentioned 4
merely 2
met 1
meters 1
mhz 1
microamps 1
milliamp 2
milliampere 1
milliamps 4
millisecond 2
milliseconds 3
milliwatt 2
milliwatts 2
mini 2
minicircuits 1
minimize 1
minimized 3
mobile 1
mode 3
modes 1
modification 1
modified 6
modulated 3
modulating 1
modulation 5
modulator 4
moment 1
```

```
month 4
months 3
more 17
moreover 1
most 1
ms 2
much 5
multi 1
multiple 2
multiplying 1
must 1
nanoseconds 2
narrow 1
necessary 1
need 2
needed 1
needs 1
negative 1
network 5
no 2
node 4
nonetheless 1
nos 1
not 9
now 2
number 2
ny 1
object 4
objects 3
obtain 1
occurs 1
of 191
off 1
often 1
on 18
once 1
one 17
only 17
open 1
operate 5
operating 16
operation 1
operational 5
option 1
optional 1
or 61
order 1
original 2
```

```
originate 1
oscillator 83
oscillators 10
other 7
out 2
outgoing 5
output 26
outputs 1
over 7
overall 2
package 1
pad 2
pads 1
page 13
pair 2
part 27
particularly 1
past 1
pat 1
patents 1
path 5
per 4
percent 2
perform 2
performance 1
performed 1
period 14
periodically 1
periods 1
plurality 1
portable 6
portion 2
position 4
positive 1
possible 2
possibly 1
potentially 1
power 73
powered 8
powering 1
powerlul 1
powpr 1
ppwer 1
present 25
presents 1
pressure 3
pressurized 1
prior 4
```

10771944 WDS

```
priority 1
problems 1
processed 2
processing 6
processor 5
propagate 1
proportional 1
proportionately 1
provide 7
provided 10
provides 3
providing 31
provisional 1
published 1
pumose 1
purposes 3
quadrature 4
quickly 2
radar 24
radiated 5
radiating 1
radio 27
randomly 1
range 14
ranges 1
ranging 2
rate 1
rather 1
ratio 3
re 1
receive 13
received 2
receiver 39
receivers 2
receiving 4
reception 1
reduce 4
reduced 4
reduces 1
reference 1
regenerative 2
related 1
relates 1
relating 1
reliability 1
reliable 1
reliably 1
remaining 4
```

removed 4 repetitive 1 reply 10 requested 1 requests 1 require 5 required 8 requirements 3 requiring 1 resonant 3 respective 1 respond 2 responding 1 responds 1 response 10 responsive 15 result 1 results 1 rf 4 robust 1 run 8 running 1 same 4 second 16 seconds 8 section 13 sections 1 see 3 seen 1 selected 3 self 1 send 1 sensed 1 sensitive 5 sensitivity 9 sensor 2 separate 1 serial 1 series 3 set 1 several 1 shared 1 shod 1 should 1 shown 35 shows 63 shy 1 signal 105

```
signals 28
significant 1
significantly 2
similar 1
simply 1
since 3
single 3
six 4
sixth 1
size 3
sleep 1
sm 1
smaller 3
so 5
solar 1
solves 1
some 1
sos 2
source 7
sources 1
spch 1
spectrum 11
sqch 1
stage 9
stages 7
standby 1
stated 1
still 9
such 21
summed 1
summer 1
super 2
supplies 1
supply 12
switch 4
synchronous 53
system 1
tag 3
take 2
taking 1
tank 1
target 1
targeted 2
teachings 3
technical 1
technologies 1
technology 6
terms 1
```

```
than 10
that 41
the 462
them 1
then 3
there 2
thereby 1
therefore 6
thereof 4
thereto 1
these 5
they 2
third 1
this 24
three 2
time 21
times 12
tl 6
to 177
total 5
tradeoffs 1
transistor 1
translated 2
translates 1
transmiger 1
transmission 2
transmit 12
transmits 3
transmitted 2
transmitter 9
transmitters 1
transmitting 1
transponder 37
transponders 7
trom 1
turn 10
turned 3
turns 1
two 13
type 3
types 1
typically 2
unavailability 1
undesired 4
unit 2
units 1
up 1
upon 1
```

```
us 5
usa 1
use 9
used 17
useful 1
uses 1
using 8
usually 2
uzunoglu 4
various 4
vasil 2
very 4
via 1
video 1
voltage 4
volts 3
way 6
week 1
well 1
were 1
what 1
when 3
where 2
wherein 4
which 7
while 2
widely 1
will 21
with 47
within 5
without 6
words 1
work 3
working 1
would 16
www 1
years 1
yet 3
```